



# What are the limits of biology?

What is unique about biology?

Prof. Vitor B. Pinheiro  
Associate Professor

BWC - 03.12.18

**KU LEUVEN**

 **UCL**

# Synthetic Biology

**Alternative** Biology

**Synthesising** Biology

Biology **for synthesis**

Biology **as a tool**


Biology **as data**

- More systematic
- Nature as a starting point
- Biology has **limitations** and **specialisms**


*“What I cannot create, I cannot understand.”*

***Richard Feynman***



# Synthetic Biology is a continuum



# Information transfer in biology – The central dogma




- Information **storage** and **propagation** are essential for life
- **Central Dogma** – information only accessible from DNA and RNA in biological systems
- Propagation is viable because of the efficient and unambiguous base pairing






# Extending biology through directed evolution




# Xenobiotic nucleic acids (XNAs)



# Synthetic genetic systems (DNA → XNA → DNA)


- Synthesis and recovery of information from synthetic backbone establishes a **synthetic genetic system**




Genetic system	Aggregate misincorporation error (x 10 <sup>-3</sup> )
CeNA	4.31
FANA	5.03
ANA	5.81
HNA	7.54
DNA	8.30
TNA	48.5
LNA	52.8

Pinheiro et al. (2012) **Science**  
10.1126/science.1217622

# From synthetic biology to xenobiology




# Challenges to introducing XNA *in vivo*





- XNA chemistry (nucleosides, nucleotides and polymers) must not be toxic to the cell.
- XNA nucleotides must be delivered to (or activated in) the cell
- XNA nucleotides cannot be incorporated by natural polymerases
- XNA replicase cannot incorporate dNTPs or rNTPs
- XNA needs to be replicated and maintained (i.e. episome)
- Precise XNA information has to link to cell survival

# Sources of orthogonality



# Towards polymerase rational design




**tPhoNA**

Liu and Cozens et al. (2018) **JACS**  
10.1021/jacs.8b03447

# First steps towards orthogonality?

tPhoNA activity




Liu and Cozens et al. (2018) **JACS**  
10.1021/jacs.8b03447





# From XNA to Xenobiology

Storage of genetic information




# Alternative routes towards XNA *in vivo*



- Wholesale replacement of a natural nucleobase with an unnatural one

Marliere et al. (2011), **Angew. Chem. Int. Ed**  
DOI: 10.1002/anie.201100535



- Addition of new nucleobases to genome.

Malyshev et al. (2014), **Nature**  
DOI: 10.1038/nature13314

# Human risk of Xenobiology

- ‘Xeno’-organisms are still biological systems
  - As a class, broadly similar risks and hazards as posed by GMOs
- Additional considerations required depending on modification, its implementation and purpose:
  - **Input compounds** – e.g. XNA precursors – chemical toxicity of precursors, contaminants from precursor synthesis, abiotic precursor breakdown
  - **Intermediates and side reactions** – e.g. unnatural amino acids – biological modification or misuse of input compounds, pathway intermediates, truncation products, biologically accessible bypass alternatives
  - **Output compounds** – e.g. XNAs – biological activity or toxicity of intended products or molecules, and of their breakdown products by natural metabolic or environmental routes, co-option by cellular mechanisms

# Key messages about the future of biology

- Chemistry is the limit of Biology – If it is chemically possible, it is biologically feasible.
- Biology is a powerful optimization engine. Implementation is technically challenging.
- Orthogonality (even if incomplete and part of a continuum) can be a regulatory tool for unknown or (yet) unquantifiable risks.

- Review tackling 20 emerging issues in biological engineering

Wintle et al. (2017) **eLIFE**  
10.7554/eLife.30247

*“The farther, the safer.”*

***Philippe Marliere***

# Routes to safe bioprocessing

